



Cable Festoon Systems for Power and Control

For the Electrification of :

- Overhead Cranes
- Monorails
- Transfer Cars
- Trippers
- Stacker/Reclaimers

C30




C40



Galvanized steel / Stainless steel

Typical C-Track Festoon Systems For Overhead Crane Installation




Flat Cable

Section(mm)	1.25	1.5	2	3.5	5.5	8	14	22	38
Conductor(NO./mm)	50/0.18	60/0.18	37/0.26	140/0.18	217/0.18	315/0.18	550/0.18	865/0.18	716/0.18
3C	✓		✓	✓	✓	✓	✓	✓	✓
4C	✓		✓	✓	✓	✓	✓	✓	✓
5C	✓								
8C	✓	✓	✓	✓					
10C	✓								
13C	✓	✓							
16C	✓								

C30 Series - C-Track and accessories



C-Track



Part No.	Type	Weight (kg)	Material
H-C01-3	3m	3.6	Galvanized steel
H-C01-4	4m	4.8	
※H-C01-6	6m	7.2	
H-CS01-3	3m	3.6	Stainless steel


※ Custom Products

Track Support Bracket




Part No.	Weight (kg)	Material
H-C02	0.23	Galvanized steel
H-CS02	0.23	Stainless steel

■ End Cable Clip




Part No.	Weight (kg)	Material
H-C03	0.31	Galvanized steel
H-CS03	0.31	Stainless steel



■ Track Coupler



Part No.	Weight (kg)	Material
H-C04	0.32	Galvanized steel
H-CS04	0.32	Stainless steel



■ Cable Trolley





H-C05S
H-CS05S





H-C05P

Part No.	Weight (kg)	Material
H-C05S	0.33	Galvanized steel
H-C05P	0.28	Galvanized steel / Plastic
H-CS05S	0.33	Stainless steel


H-C05S / H-CS05S







H-C05P




■ Towig Trolley




Part No.	Weight (kg)	Material
H-C06	0.78	Galvanized steel
H-CS06	0.78	Stainless steel




■ End Cap





Part No.	Weight (kg)	Material
H-C07	0.02	Plastic
H-CS07	0.02	Plastic




■ Track Clip



Part No.	Weight (kg)	Material
H-C08	0.17	Galvanized steel
H-CS08	0.17	Stainless steel




■ Pendant Trolley



Part No.	Rating	Weight (kg)	Material
H-C09	16P	1.8	Galvanized steel
H-CS09	16P	1.8	Galvanized steel


※ H-CS09 with Stainless steel bearing only.



■ Wire Clip




Part No.	Weight (kg)	Material
H-C10	0.01	Plastic
H-CS10	0.01	Plastic





C40 Series - C-Track and accessories

C-Track



Part No.	Type	Weight (kg)	Material
H-C401-3	3M	7.2	Galvanized steel
H-CS401-3	3M	7.2	Stainless steel

Track Support Bracket






Part No.	Weight (kg)	Material
H-C402	0.43	Galvanized steel
H-CS402	0.43	Stainless steel

■ End Cable Clip






Part No.	Weight (kg)	Material
H-C403	0.58	Galvanized steel
H-CS403	0.58	Stainless steel



■ Track Coupler




Part No.	Weight (kg)	Material
H-C404	0.76	Galvanized steel
H-CS404	0.76	Stainless steel




■ Cable Trolley




Part No.	Weight (kg)	Material
H-C405	0.75	Galvanized steel
H-CS405	0.75	Stainless steel



■ Towig Trolley




Part No.	Weight (kg)	Material
H-C406	1.6	Galvanized steel
H-CS406	1.6	Stainless steel




■ End Cap



Part No.	Weight (kg)	Material
H-C407	0.01	Plastic
H-CS407	0.01	Plastic




■ Pendant Trolley



Part No.	Rating	Weight (kg)	Material
H-C409	24P	2.6	Galvanized steel
H-CS409	24P	2.6	Galvanized steel

※ H-CS409 with Stainless steel bearing only.




■ Trolley for Round Cable / Flat Cable (G3S)



G1P




G2S




G3S

Part No.	Weight (kg)	Material
G1P	0.07	Plastic
G2S	0.18	Galvanized steel
G3S	0.43	Galvanized steel


G1P




G2S




G3S



■ W Trolley for Round Cable/I-Beam




WIB75



WIB125


Part No.	Weight (kg)	Material
WIB75	0.38	Plastic
WIB125	0.41	

■ Trolley for Flat Cable/I-Beam



Part No.	Weight (kg)	Material
IB250	4.8	Galvanized steel

■ Trolley for Flat Cable/Steel bar



Part No.	Weight (kg)	Material
H-OIRP	0.52	Galvanized steel

Handwriting practice area with 20 sets of dashed lines on a light gray background.

A Specialist in Safe/Reliable Power and Data Transfer Systems for Moving Equipment

Insulated Conductor Rails



Spring Cable Reels



Flat Cable Festoon Systems



W-Type Insulated Conductor Rails



Energy Chain Systems



Push Button Pendant



Agent :